

50230		EUMUCA Vodilice Metabox/Vantage 6/2022					
		L	J.MJ.	VPC	MPC	AKC.	
1,	EM4387425	Metabox U3 86/350 mm s prihvatnicima, sivi	1	SET	15,15	17,70	
2,	EM4387525	Metabox U3 86/400 mm s prihvatnicima, sivi	1	SET	12,71	14,85	
3,	EM4387625	Metabox U3 86/450 mm s prihvatnicima, sivi	1	SET	13,75	16,10	
4,	EM4387725	Metabox U3 86/500 mm s prihvatnicima, sivi	1	SET	13,98	16,35	
5,	EM4393825	Metabox U3 118/350 mm s prihvatnicima, sivi	1	SET	11,87	13,90	
6,	EM4387825	Metabox U3 118/400 mm s prihvatnicima, sivi	1	SET	15,08	17,65	
7,	EM4387925	Metabox U3 118/450 mm s prihvatnicima, sivi	1	SET	16,44	19,25	
8,	EM4388025	Metabox U3 118/500 mm s prihvatnicima, sivi	1	SET	17,09	20,00	
9,	EM4394025	Metabox U3 150/350 mm s prihvatnicima, sivi	1	SET	13,31	15,55	
10,	EM4388125	Metabox U3 150/400 mm s prihvatnicima, sivi	1	SET	14,50	16,70	
11,	EM4388225	Metabox U3 150/450 mm s prihvatnicima, sivi	1	SET	17,86	20,90	
12,	EM4388325	Metabox U3 150/500 mm s prihvatnicima, sivi	1	SET	19,36	22,65	
13,	EM4394225	Metabox U3 ograda, 350 mm, siva	2	SET	4,59	5,35	
14,	EM4393625	Metabox U3 ograda, 400 mm, siva	2	SET	4,65	5,45	
15,	EM4393525	Metabox U3 ograda, 450 mm, siva	1	SET	5,78	6,75	
16,	EM4393425	Metabox U3 ograda, 500 mm, siva	1	SET	6,11	7,15	
17,	EM4961721	Metabox U3 pokrovna plastika prihvatnika, sivi	1	KOM	0,35	0,40	
18,	EM4005621	Usporivač soft-close za metabox U3 za dužine od 350-500mm	1	KOM	4,26	5,00	
19,	EM4005715	Kopča usporivača za metabox U3	1	KOM	0,19	0,20	
20,	EM4005815	Kopča usporivača za standard vodilicu T30	1	KOM	0,19	0,20	
21,	EM3012812	Stranica VANTAGE 270/83mm , BIJELA	2	SET	15,13	17,70	
22,	EM3012912	Stranica VANTAGE 300/83mm , BIJELA	2	SET	14,73	17,25	
23,	EM3013012	Stranica VANTAGE 350/83mm , BIJELA	2	SET	13,96	16,35	
24,	EM3013112	Stranica VANTAGE 400/83mm , BIJELA	2	SET	15,19	17,75	
25,	EM3013212	Stranica VANTAGE 450/83mm , BIJELA	2	SET	15,65	18,30	
26,	EM3013312	Stranica VANTAGE 500/83mm , BIJELA	2	SET	16,17	18,90	
27,	EM3003812	VANTAGE prihvat leđa 83mm , BIJELA	2	SET	0,83	1,00	
28,	EM3006612	VANTAGE prihvat leđa i ograde (relinga) 141mm , BIJELA	2	SET	2,90	3,40	
29,	EM3000312	VANTAGE prihvat leđa i ograde (relinga) 204mm , BIJELA	2	SET	3,13	3,65	
30,	EM3015912	VANTAGE ograda (reling) 350 mm , BIJELA	2	SET	4,30	5,05	
31,	EM3016012	VANTAGE ograda (reling) 400 mm , BIJELA	2	SET	4,76	5,55	
32,	EM3016112	VANTAGE ograda (reling) 450 mm , BIJELA	2	SET	5,32	6,20	
33,	EM3016212	VANTAGE ograda (reling) 500 mm , BIJELA	2	SET	7,61	8,90	
34,	EM3013412	VANTAGE Q ograda (reling) 270 mm , bijela	2	PAR	4,71	5,50	
35,	EM3013512	VANTAGE Q ograda (reling) 300 mm , bijela	2	PAR	4,61	5,40	
36,	EM3013612	VANTAGE Q ograda (reling) 350 mm , bijela	2	PAR	5,01	5,85	
37,	EM3013712	VANTAGE Q ograda (reling) 400 mm , bijela	2	PAR	5,03	5,90	
38,	EM3013812	VANTAGE Q ograda (reling) 450 mm , bijela	2	PAR	5,28	6,20	
39,	EM3006712	VANTAGE Q ograda (reling) 500 mm , bijela	2	PAR	5,84	6,85	
40,	EM4190115	Vantage prihvat fronte unutarnje ladice, h=83mm , bijeli	2	PAR	3,96	4,65	
41,	EM4190121	Vantage prihvat fronte unutarnje ladice, h=83mm , sivi	2	PAR	3,55	4,15	

		L	J.MJ.	VPC	MPC	AKC.	
42,	EM4190215	Vantage prihvat fronte unutarnje ladice, h=141mm, bijeli	2	PAR	4,69	5,50	
43,	EM4190221	Vantage prihvat fronte unutarnje ladice, h=141mm, sivi	2	PAR	4,69	5,50	
44,	EM4190315	Vantage prihvat fronte unutarnje ladice, h=204mm, bijeli	2	PAR	6,01	7,05	
45,	EM4190321	Vantage prihvat fronte unutarnje ladice, h=204mm, sivi	2	PAR	6,01	7,05	
46,	EM4190412	Vantage profil fronte unutarnje ladice, h=92mm, l=1,1m, bijeli	2	KOM	24,51	28,70	
47,	EM4190425	Vantage profil fronte unutarnje ladice, h=92mm, l=1,1m, sivi	2	KOM	24,51	28,70	
48,	EM4190512	Vantage ograda fronte unutarnje ladice, fi11, l=1,13m, bijela	2	KOM	5,22	6,10	
49,	EM4190525	Vantage ograda fronte unutarnje ladice, fi11, l=1,13m, siva	2	KOM	5,22	6,10	
50,	EM4189905	Prihvatnik VANTAGE	2	PAR	2,21	2,60	
51,	EM4188705	Vodilica VANTAGE soft-close 270mm, 30 kg , potpuna izvlaka	2	PAR	24,45	28,60	
52,	EM4188805	Vodilica VANTAGE soft-close 300mm, 30 kg , potpuna izvlaka	2	PAR	24,24	28,35	
53,	EM4188905	Vodilica VANTAGE soft-close 350mm, 30 kg , potpuna izvlaka	2	PAR	20,61	24,10	
54,	EM4189005	Vodilica VANTAGE soft-close 400mm, 30 kg , potpuna izvlaka	2	PAR	21,03	24,60	
55,	EM4189105	Vodilica VANTAGE soft-close 450mm, 30 kg , potpuna izvlaka	2	PAR	22,01	25,75	
56,	EM4189205	Vodilica VANTAGE soft-close 500mm, 30 kg , potpuna izvlaka	2	PAR	23,41	27,40	
57,	EM3012825	Stranica metalna VANTAGE Q 270/83mm, siva	2	SET	15,92	18,60	
58,	EM3012925	Stranica metalna VANTAGE Q 300/83mm, siva	2	SET	15,79	18,50	
59,	EM3013025	Stranica metalna VANTAGE Q 350/83mm, siva	2	SET	13,77	16,10	
60,	EM3013125	Stranica metalna VANTAGE Q 400/83mm, siva	2	SET	14,19	16,60	
61,	EM3013225	Stranica metalna VANTAGE Q 450/83mm, siva	2	SET	15,38	18,00	
62,	EM3013325	Stranica metalna VANTAGE Q 500/83mm, siva	2	SET	15,81	18,50	
63,	EM3003825	Vantage Q prihvat leđa h83 , sivi	2	SET	0,88	1,05	
64,	EM3006625	Vantage Q prihvat leđa i ograde (relinga) h141 , sivi	2	SET	2,90	3,40	
65,	EM3000325	Vantage Q prihvat leđa i ograde (relinga) h204 , sivi	2	SET	3,13	3,65	
66,	EM3015925	VANTAGE ograda 350 mm , siva	2	SET	4,67	5,45	
67,	EM3016025	VANTAGE ograda 400 mm , siva	2	SET	4,26	5,00	
68,	EM3016125	VANTAGE ograda 450 mm , siva	2	SET	4,59	5,35	
69,	EM3016225	VANTAGE ograda 500 mm , siva	2	SET	4,69	5,50	
70,	EM3013425	VANTAGE Q ograda (reling) 270 mm , siva	2	SET	4,69	5,50	
71,	EM3013525	VANTAGE Q ograda (reling) 300 mm , siva	2	SET	4,53	5,30	
72,	EM3013625	VANTAGE Q ograda (reling) 350 mm , siva	2	SET	4,67	5,45	
73,	EM3013725	VANTAGE Q ograda (reling) 400 mm , siva	2	SET	5,72	6,70	
74,	EM3013825	VANTAGE Q ograda (reling) 450 mm , siva	2	SET	5,86	6,85	
75,	EM3006725	VANTAGE Q ograda (reling) 500 mm , siva	2	SET	7,18	8,40	
76,	EM4191725	VANTAGE dodatna bočna metalna stranica 141/500 mm , siva	2	SET	5,84	6,85	
77,	EM4193825	VANTAGE dodatna bočna metalna stranica 204/500 mm , siva	2	SET	10,64	12,45	

		L	J.MJ.	VPC	MPC	AKC.	
78,	EM4102405	Vodilica 3/4 izvlaka 240mm sa soft-close	2	SET	13,04	15,25	
79,	EM4102505	Vodilica 3/4 izvlaka 290mm sa soft-close	2	SET	13,73	16,05	
80,	EM4102605	Vodilica 3/4 izvlaka 340mm sa soft-close	2	SET	14,98	17,50	
81,	EM4102705	Vodilica 3/4 izvlaka 390mm sa soft-close	2	SET	15,50	18,15	
82,	EM4102805	Vodilica 3/4 izvlaka 440mm sa soft-close	2	SET	16,63	19,45	
83,	EM4102905	Vodilica 3/4 izvlaka 490mm sa soft-close	2	SET	17,48	20,45	
84,	EM4103005	Vodilica SLIPE 3/4 izvlaka, otvaranje na pritisak, 240mm	2	SET	11,22	13,15	
85,	EM4103105	Vodilica SLIPE 3/4 izvlaka, otvaranje na pritisak, 290mm	2	SET	12,27	14,35	
86,	EM4103205	Vodilica SLIPE 3/4 izvlaka, otvaranje na pritisak, 340mm	2	SET	14,35	16,80	
87,	EM4103305	Vodilica SLIPE 3/4 izvlaka, otvaranje na pritisak, 390mm	2	SET	13,75	16,10	
88,	EM4103405	Vodilica SLIPE 3/4 izvlaka, otvaranje na pritisak, 440mm	2	SET	15,86	18,55	
89,	EM4103505	Vodilica SLIPE 3/4 izvlaka, otvaranje na pritisak, 490mm	2	SET	18,98	22,20	
90,	EM4104105	Vodilica soft-close potpuna izvlaka, L=290 mm	2	SET	22,09	25,85	
91,	EM4104205	Vodilica soft-close potpuna izvlaka, L=340 mm	2	SET	23,99	28,10	
92,	EM4104305	Vodilica soft-close potpuna izvlaka, L=390 mm	2	SET	26,95	31,55	
93,	EM4104405	Vodilica soft-close potpuna izvlaka, L=440 mm	2	SET	26,31	30,80	
94,	EM4104505	Vodilica soft-close potpuna izvlaka, L=490 mm	2	SET	30,08	35,20	
95,	EM4193409	Vodilica standard T30C, 400mm, za tipkovnicu - crna	1	SET	19,15	22,40	
96,	EM4388412	Vodilica standard T30C, 250mm, nosivost 25 kg - bijela	2	SET	3,23	3,80	
97,	EM4388512	Vodilica standard T30C, 270mm, nosivost 25 kg - bijela	2	SET	2,71	3,20	
98,	EM4388612	Vodilica standard T30C, 300mm, nosivost 25 kg - bijela	2	SET	2,96	3,45	
99,	EM4388712	Vodilica standard T30C, 350mm, nosivost 25 kg - bijela	2	SET	3,36	3,95	
100,	EM4388812	Vodilica standard T30C, 400mm, nosivost 25 kg - bijela	2	SET	3,73	4,35	
101,	EM4388912	Vodilica standard T30C, 450mm, nosivost 25 kg - bijela	2	SET	4,59	5,35	
102,	EM4389012	Vodilica standard T30C, 500mm, nosivost 25 kg - bijela	2	SET	6,05	7,10	
103,	EM4389112	Vodilica standard T30C, 550mm, nosivost 25 kg - bijela	2	SET	6,78	7,95	
104,	EM4177105	Vodilica s kugličnim ležajem potpuna izvlaka, 300mm, 45,7x12,6	1	SET	10,89	12,75	
105,	EM4177205	Vodilica s kugličnim ležajem potpuna izvlaka, 350mm, 45,7x12,7	1	SET	12,29	14,40	
106,	EM4177305	Vodilica s kugličnim ležajem potpuna izvlaka, 400mm, 45,7x12,7	1	SET	13,33	15,60	
107,	EM4177405	Vodilica s kugličnim ležajem potpuna izvlaka, 450mm, 45,7x12,7	1	SET	18,38	21,50	
108,	EM4177505	Vodilica s kugličnim ležajem potpuna izvlaka, 500mm, 45,7x12,7	1	SET	20,24	23,70	
109,	EM4177605	Vodilica s kugličnim ležajem potpuna izvlaka, 600mm, 45,7x12,7	1	SET	17,80	20,80	
110,	EM4177705	Vodilica s kugličnim ležajem potpuna izvlaka, 650mm, 45,7x12,7	1	SET	19,19	22,45	
111,	EM4002605	Vodilica SLIPPE soft-close potpuna izvlaka, L=290 mm	2	SET	23,68	27,70	
112,	EM4002705	Vodilica SLIPPE soft-close potpuna izvlaka, L=340 mm	2	SET	26,16	30,60	
113,	EM4002805	Vodilica SLIPPE soft-close potpuna izvlaka, L=390 mm	2	SET	27,56	32,25	
114,	EM4002905	Vodilica SLIPPE soft-close potpuna izvlaka, L=440 mm	2	SET	29,23	34,20	
115,	EM4003005	Vodilica SLIPPE soft-close potpuna izvlaka, L=490 mm	2	SET	28,27	33,10	
116,	EM4003205	Vodilica SLIPPE soft-close djelomična izvlaka, L=290 mm	2	SET	18,90	22,10	
117,	EM4003305	Vodilica SLIPPE soft-close djelomična izvlaka, L=340 mm	2	SET	20,30	23,75	
118,	EM4003405	Vodilica SLIPPE soft-close djelomična izvlaka, L=390 mm	2	SET	23,80	27,85	
119,	EM4003505	Vodilica SLIPPE soft-close djelomična izvlaka, L=440 mm	2	SET	23,91	28,00	
120,	EM4003605	Vodilica SLIPPE soft-close djelomična izvlaka, L=490 mm	2	SET	24,18	28,30	